

L Number	Hits	Search Text	DB	Time stamp
-	5	((709/225,220,221).CCLS.) and rout\$3 same virtual adj5 identi\$9 and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:43
-	119	((("709").CLAS.) and rout\$3 same virtual adj5 identi\$9 and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:42
-	67	((("709").CLAS.) and rout\$3 with virtual adj5 identi\$9 and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:42
-	3	((709/225,220,221).CCLS.) and rout\$3 same virtual adj5 identi\$9 with (vci or vpi) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:43
-	57	((("709").CLAS.) and rout\$3 same virtual adj5 identi\$9 with (vci or vpi) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 11:43
-	58	((709/225,220,221).CCLS.) and (restrict\$3 or limit\$3) adj2 access\$3 with (service or resource or connection) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 13:04
-	35	((709/225,220,221).CCLS.) and (limit\$3) adj2 access\$3 with (service or resource or connection) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 13:00
-	0	((709/225,220,221).CCLS.) and (limits!) adj access\$3 with (service or resource or connection) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 13:01
-	1	((709/225,220,221).CCLS.) and (limits!) adj access\$3 with (specific or particular or single or domain) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:39
-	5	((("709").CLAS.) and (limits!) adj access\$3 with (specific or particular or single or domain) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 13:04
-	57	((("709").CLAS.) and (restricts) adj access\$3 with (specific or particular or single or domain) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 13:09
-	11	((709/225,220,221).CCLS.) and restrict adj access\$3 with (specific or particular or single or domain) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 13:05

-	12	((("709").CLAS.) and (restricts!) adj access\$3 with (specific or particular or single or domain) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 13:09
-	0	6651096.URPN.	USPAT	2004/01/29 13:26
-	132	((709/225,220,221).CCLS.) and request with matches and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:50
-	83	((709/225).CCLS.) and request with matches and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:44
-	16	((709/225).CCLS.) and request with matches with associated and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:41
-	50	((709/220,221).CCLS.) and request with matches and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:53
-	5	((709/220,221).CCLS.) and request with matches same access\$3 and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 15:55
-	178	((("709").CLAS.) and request with matches same access\$3 and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:26
-	183	((("709").CLAS.) and request with matches same (authoriz\$9 or access\$3) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:27
-	20	((("709").CLAS.) and request with matches same (authoriz\$9 same access\$3) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 10:46
-	4073	(707/9,10).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:36
-	6	((707/9,10).CCLS.) and request with matches same (authoriz\$9 same access\$3) and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/29 16:37
-	28	((709/225).CCLS.) and matches same authoriz\$9 and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 10:43

-	2	((709/225).CCLS.) and checks with matches with destination and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 13:25
-	38	(("709").CLAS.) and checks with matches with destination and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 10:56
-	3	(("709").CLAS.) and checks with matches with domain and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 17:35
-	6	((709/225).CCLS.) and routing with mode and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 13:25
-	23	(("709").CLAS.) and layer adj3 tunnel and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 17:36
-	18	(("709").CLAS.) and layer adj3 tunnel and virtual and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 17:42
-	15	(VCI same VPI) and l2tp and ppp and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/30 17:49
-	3	(VCI same VPI) and l2tp and ppp and tunnel adj ID and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:57
-	15	l2tp and ppp and tunnel adj ID and @ad<20001113	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:57